

A VERIE
Perfect Discourse
and order how to know

the Age of a HORSE, and the Dis-
eases that breede in him, with the
Remedies to cure the same:

as also,

The description of euery Vayne; and how
and when to let him blood, according to
the diuersitie of the Disease: as hath
been prooued by the Author.

L. W. C.



Imprinted at London by W. W.
for Thomas Panier.

1604

853

collected

853 C., L. W. A verie Perfect Discourse and order how to know the Age of a Horse, and the Diseases that breede in him, with the Remedies to cure the same: as also, The description of euery Vayne; and how and when to let him blood, by L. W. C. London, W. W(hite) for Thos. Pauier. 1604. Mit einem ganzseitigen Holzschnitt. 5 Bl., 35 S. 4°. Braunes Leder m. Blinddruck (Birdsall). (180.—)


Diese Ausgabe nicht bei Pollard-Redgrave (zwischen 4287 und 4288).

not in STO

completely uncorrected

1601, 1602, 1610, 1624, 1630

9 MS








Ex libris Charles Henry Hoare.


W. W. LONDON
Printed by
and order how to know




Printed by W. W. LONDON
for Thomas Parker
1604

B L

15-7-75







In this Discourse is fyrst

hewed how, and when, a Horse should be let blood, and to what end, and by what signe a man may know whether it be requisite or no. Secondly, in how many Vaynes he may be let Blood.

Thirdly, how to know his age. Fourthly, where all kind of Diseases do grow, and how to cure them.

How, and when, a Horse should be let blood, and to what end; and by what signe a man may know whether it be requisite or no.

First, to preserve health, it is good to let him Blood foure times a yeere: First, in the Spring about the beginning of May, because the Blood beginneth to increase: Secondly in September, because the Blood being then inflamed inequally, may euaporate or breake out: Thirdly, about the middest of December, to let out the grosse and knotte Blood: Fourthly, about the middest of March.

But I would not wish you to let a Horse blood but once a yeere, and that in the beginning of May, within a fourt-night after his putting to grasse, for then you shall let out the grosse and old blood, and the new will come in his place: Except it be upon great need. I would wish you

Remedies by Blood-letting.

not to let him blood at all: for oft letting blood, causeth debilitie in the Horse, it hindreth the sight, and maketh the blood to resort inwardly, which cloveth the Hart and Intralles, and leaueth the outward partes destitute.

In how many Vaynes an Horse
may be let blood.

In the first 2. Vaynes are the Temple Vaynes, which be the principall Vaynes in the Head.

In the 2. Eye Vaynes, which are easie to finde in the face of the Horse, somewhat beneath his Eyes.

In the 2. Pallet Vaynes in the Mouth.

In the 2. Necke Vaynes.

In the 2. Plate Vaynes, which are in the Brest.

In the 2. Fore-head Vaynes.

In the 2. fore Shank Vaynes before.

In the 2. fore Vaynes before.

In the 2. Side Vaynes, which may be called the Cranks Vaynes.

In the Tayle Vayne.

In the Panch Vayne.

In the Hoofe Vaynes.

In the 2. fore Shank Vaynes behinde.

So by this account, an Horse may be let blood in 31. Vaynes: All which Vaynes are easie enough to know, because euery one lyeth in a little gutter, which you shall finde by feeling with your finger.

If your Horse be payned with any grieve in his Head, heauines, frensey, falling euill, or such like, then it is good to let him blood in the Temple Vaynes with a flême.

If his Eyes be watrish, or Blood-shorten, or greened with Pinne, or Webbe, or Paw, then it is good to let him Blood in the Eye Vayne with a flême.

Remedies by Blood-letting.

If he haue any wearinesse or heauinesse of Body, or be diseased in the throat with the Stranglinges or Quinsies, or swellings of the Arteries either within or without, then it is good to let him blood in the Paller bayens in the Mouth with a Cornet.

If he be vexed with an Ague, or with any other disease vniuersall hurting his body, then let him blood in the Necke Vaynes.

If his griefe be in the Lungen, Liuer, or any other inward part, then let him blood in the Brest Vaynes: which we call before the Platte Vaynes.

If he be greued in the Shoulders, then let him blood in the Fore-feete Vaynes about the Knee with a Lance, and that very warily: for that place is full of Sinnewes.

If he be greued in the Joyntes, then let him blood in the Shackle Vaynes, and that very warily: for that place is full of Sinnewes also.

If he be soyled in his Fore-feet with foundring, or otherwise, then let him blood in his two Vaines (make way first with your Drawre to come to your vaines) in his fore-feet.

If he be diseased in the Kidneyes or Reynes, Backe or Belly, then let him blood in the Flanke Vaynes.

If he haue any griefe in his Hippes, then let him blood in the Tayle Vayne or Hough Vayne.

If his hinder Legs be greued, or Joyntes, or Feete, then let him blood on the Shackle Vaynes, and on the 2. Vaynes behinde on the hinder feete.

To knowv the age of a Horſe.

A Horſe hath xl. Teeth : the xxx. Month after his foaling he loſeth two above and two beneath : in the iiii. yeere he loſeth two above and two beneath : when he is ſiue, he caſteth all the reſt both above and beneath. Thoſe that come firſt above, are hollow : when he is ſixe, his hollow Teeth are filled vp, and in the ſeuenth, all the reſt are filled vp : then you can no longer iudge of his age by his Teeth.

To know where theſe Diſeaſes doe
grow about a Horſe.

B Agges, is in the weakes of the Mouth.
Barbe, be two Teates growing vnder the Tongue.
Bottes, do grow and breed in the Paw and Guttes.
Bliſters on his body commeth through heate & cold.
Canker, is in his Mouth venomd, and will make his Tongue to haue cliſtes, and Scabbes in his vpper Lipps vnderneath, and are full of blacke Albeales or Pimples, ſo that he can hardly eate his meate.
Coulc Euill, is by ranckneſſe of Water and Blood : it will cauſe his Belly and Pards to ſwell.
Cloying, is in the Hoofe of the Feete.
Cordes, is a ſlacke Sinniew in the Legges before.
Curbes, is a ſwelling Sinniew behind the Hoofe.
Crotches, is a ruſſe ſcurffineſſe about the Fetter-lockes.
Interſeering is ſtriking on the ſoyne about the Paſſoyns.
Farcion or Farcie, is a Scab or Knobs breaking in diuers places of his body, and commeth chiefly in the Waynes.
Feuer, is a ſickneſſe taken with cold, and will cauſe him to ſhake.
Thiſtula, is an old rotten Soze in his Body.

Foun-

The Diseases in Horses.

Foundering, is taken in the Body, and Feete also.

Fraying, is taken in the Body, Feete, and Legges, which is a stiffnesse comming onely with cold.

Frounce of Pimples in the Pallet of his Mouth, Gawling, or other hurt : and come especially by eating of frozen Grasse or Dust.

Gigges or Flappes, are Pimples or Teares on the inside of the Mouth.

Glaunders, are Curnels vnder his Jawes, and when they are ripe, they will run at his Nose, and so breake out.

Gorge, is a swelling of Blood on the Legges.

Graueling, is taken in the Feete.

The Webbe in the eye of the Haw, which is a Gristle growing on the Felme, which scowreth the Eye.

Hyde-bound, is when the skinne cleaueth to the flesh and the ribbes.

Hooft-bound, is in the pinching of the Hooft.

Itch in the Tayle, is by excesse of Blood.

Lampas, is the flesh in the mouth ne the upper Teeth.

Mange, is taken by some Scabbe or byring.

Mallander, is a Scabbe in the bone of the Knees.

Molt-long, is the pinching of a straight Hooft.

Mourning of the Chine, is a wasting from the Backe, or broken Winded.

Naueel-galled, is a Soze on his Backe against the Naueel, or an Inposume soze.

Paynes, is a sozenesse about the Hooft, or Foote-lockes.

Powle-euill, is on the nape of the Necke, and breedeth by stripes.

Pinne of Webbe, which couereth the beard of the Eye.

Rume, is taken by cold, and so his Teeth will waxe loose and seeme long, and then he cannot eat his meate, but it will lie in lumpes and about his Jawer.

Ring-bone, is a hard Gristle about the Hooft.

The Diseases in Horses.

Quinsie, is a sozenesse in the Throate.

Sclander, is a Scabbe on the Hammes on the hinder Legges.

Shackle gawled, is on the Pastozne.

Spauin, is on the Topyt in the Hoofes behinde.

Splent, is a splend Sinniew aboute the Fetter-lockes.

Staggers, is a doolinesse in the Head, breeding of cold, and of the Bellowes.

Stranglinges, is a swelling of the Throate.

Stone in a Horse.

Surbating, is under the Sooles of the Feete on the further side.

Viues, is a certaine Curnell vnder the Eares, or a Canker in the Mouth or Throate.

Windgalles, are Bladders aboute the Fetter-lockes.

Yellow, is a kind of Jaundies, and will cause the Eyes to looke yellow, and other partes of the body also.

APPRO-



APPROVED REMEDIES FOR THE CVRING

of any kind of discafe, hurt, maine,
or maladic in Horses.

For the Gawling of a Horse.

Take Butter, Vineger, and Bay-salt, and melt them together, and lay on the Horse backe warme: then straw vpon it Sutte, or the powder of a Clay Wall,

An other for the same.

Take ob. of Turmerace, bruse it: a handfull of Bay salt, and a handfull of Sutte, wick two handfulls of Datemeale, mingle it with Urine, and make it into a cake as well as you can, and then vpon a hot hath bake it till it be burnt blacke, then beate it into powder: and when you haue washen your Horse backe with Lie verie hotte, or Chamber-lie, then straw on the Powder: and when the Powder is almost gone, then dresse it as aforesayd.

If it be festered, take Yeest, Hony, the white of an Egge, and Sutte: mingle them together, and make a Plaster thereof, and lay it to eate the dead flesh: then straw on Herdegreace, and renew it once a day.

Approued Remedies

Another for the same.

TAke a Pottle of Uergis, two penny worth of greene Coparis, and boyle it to a pint and a halfe: wash and searce the hole therewith, and fill the hole with redde Leade, and so let it remaine thre dayes vntouched: then wash it with the same, and fill it againe with the redde Leade, and so euery other day wash it with that water, not made so strong of the Coparis, and lay thereon redde Lead. This will heale it though it be galled to the body.

An other for the same.

TAke of the strongest Beere a pint, put into it a quarter of a pound of Allum, and halfe a handfull of Sage: seeth it to the one halfe, then take out the Sage leaues. This will heale any Canker or Soze in a Horse,

To heale any Cut in a Horse.

TAke a quarter of a pound of fresh Butter, of Tarre and blacke Sope, halfe so much of each, & a little Turpentine: boyle them altogether (but the Sope) and as soone as you take it from the fire, put in the Sope: and then vse it.

For a Horse wrong in the Wakes.

TAke Butter and Salt, and boyle them together till they are blacke, then powze it on hot: then take vp a flake of Horse Doung that is hot, and lay it on the soze backe, and so dresse him till he be whole.

For Fretting on the Bellie, which commeth
with gawling of the fore Gyrt.

This commeth with the fore Gyrt, and it stoppeth the Blood which is in the principall Maynes, called the Plate Maynes, which do runne length wayes: Take
Oyle

Oyle of Bayes, & Oyle of Balme, two ounces of Pitch, two ounces of Tarre, one ounce of Rosen: mingle them altogether, & annoynt the foure Bowels: then take a flaxe and lay vpon it, and seare it with a hot Iron: but take heed it be not too hot, for feare of burning.

For Thistulaes.

When you first perceiue it to swell, then scalde it with Hony & Sheepes Shuet: but scalde it very much. This will keepe it from breeding.

Then take and slit it in the nether end of the Soze, and put as much Mercurie Sublimatum, as a Pease, abate it with Sallet Oyle, laying it on with a Feather: after that, take Clerdegreece. iiii. ℥. worth, Ultraell ob. Lead. iii. ℥. worth, beate these together, & euery day wash the wound with Coppis water made with Coppis and elder leaues in Sommer, and with the inner greene Barke in Winter: after the washing, take the powder, and put it on the soze, and after it, drop on a litle Oyle.

An other for the same.

Take the outermost greene Shelles of Wal-nuttes, and put them in a Tubbe, strowing thre or foure handfull of Bay salt vpon them, some in the bottome, some in the middle, and some on the toppe, and so keepe them all the yeere: and when you will vse them, take a pint of them, and a litle Bay salt, & halfe a quarter of a pound of blacke Sope, with halfe a spoonefull of Bay Butter (and for want thereof, other Butter) and incorporate them together, and then spread it on the soze: but two howers before you lay it on, annoynt the soze with a litle Venis Turpentine.

Approued Remedies

A Medicine to kill the Thistula cleane.

Take Vnguentum Egipiacū, which is made of Honey, a pint, Vineger di. a pint, Allum a quarter of a pound, and Uergreace i. oz. di. and seeth them altogether till they be thicke and a tawnie coloure: this is called Egipiacum: and to make it the strongest way, is to put in Sublimat. i. oz. made in powder, and Arsenicke two scruples, and boyle it together.

This strongest is for Thistulaes, Cankers, and foule Soares: and the first may be vsed in the mouth, but not that which is made of Sublimatum and Arsenicke: for they are popson.

A Tent to put into the hollw place of the Thistula.

Take of Sublimatum wel powdered i. oz. the midst of well leauoned Breadslacke baked, iiii. oz. of Nenin. x. drammes, mingle them together with a little Rose water, and make Tentcs thereof, and dry them vpon a Tile, and then take it to your vse.

To make Lic for the same, or Water
to kill at the bottome.

Take Lic, Honey, Roach Allum, and Mercury, and seeth them together, and apply it to the Thistula at the bottome thereof.

Also, to dry a Thistula, take red Wine, Goates dung, and Beane flower, and seeth them together, and lay it on: and this will dry it by.

To sinke a Thistula.

Take first and seere it, as with this marke ☉, or such like: and then take Rosen, Sheepes tallow, and Brimstone,

For Diseased Horses.

5

Stone, and boyle them together, and lay it on very hot with a cloath: this will sinke it downe againe. This is good also for a Windgall: Take and prick it out (but beware of Sinnetwes) and then lay it on: but not too hot, but very reasonably: and this will keepe it cleane.

For a Thistula in the Head.

Take the iuce of House-leeks, and dippe a Locke of Wooll in it, and put the Locke of Wooll in his eares, and binde it fast: vse this once a day.

An other for the same.

If there bee any Inflammation in the eares, or that it groweth to an Impostumation in that place, you shall boyle the rootes of Pallowes in water till they were tender, then bruse them, and straide out the water cleane: and being warme, giue it the Horse to drinke.

To knowe the Bottes.

When you thinke your Horse hath the Bottes, looke in his mouth and smell to his breath, for it will stinke, and his mouth will be full of slime.

To cure the Bottes.

Take as much blacke Sope as a Wall-nut, as much Pyimstone beaten, and a little Garlick, and put it in good Ale, and giue it the Horse blood warme: but for a Mare with sole, then take Pyimstone, Butte, and Garlick, without Sope.

Take a handfull of new Pennes dung, and a quart of good stale Drinke, and all to bray it with your handes: then take a good handfull of Bay salt, and put two Egges to it, and bray them altogether, and giue it your Horse to drinke in a Poyne.

Approued Remedies

An other for the same.

Take a pint of Milke, ob. of Saffron, ob. of Allum, beate them together, and giue it him to drinke.

To kill the Woormes in the Maw.

Take the crops of young Broome, and of Sauin, and Grounsell, of each a quantitie: then chop them small and giue it him with his Pouender euening & morning: and let him not drinke for a good space after.

If he haue the long Woormes, take Milke, Brimstone, and Honey, and giue him to drinke.

For Woormes in the Coddies.

Take the Cuttes of a young Bullet and cast it into his mouth fasting, and make him to swallow them downe: do this thre mornings together: but let him not drinke nor eate in fure houres after.

Some vse to giue him fresh Broome in his Pouender, and salt water to drinke.

Others do giue him of greene Willow, or greene Reede to eate: and in digestion of the meate, he shall cast out the Woormes.

An other for the same.

Take the Garbidge of a young Venne or Pidgion while it is warme, rowle it first in a little blacke Sope, and after in Bay salt, and foze it downe his thyoate, and it wil helpe him. *Probatum.*

To know when a Horfe hath Woormes.

Take vp his vpper Lippe, and you shall see many small blew Claynes, greater and bigger then the Woorme baynes by a great deale.

For

For a Horse that hath the Trunchons.

Let him drinke Pennes, boong, Pyntes, Sage, and Rue: and let him bloud in the Nostrilles, or else giue him Sauen, or Sothernewood to drinke, and it will cure him.

An other for the same.

Take ob. of Arment, ob. of Pony, ob. of Cenycreke, ob. of good stale Ale, mingle them together, and tye by the Horses head on high, and giue it him to drinke with a Pojue.

For Blisters.

Take the iuce of ground Iuy, with so much Brimstone, a quantitie of Tarre, and so much Allum: put it altogether, and lay it to the Blister.

For the Barbes.

If they grow long, they will hinder his feeding: they do vse to clip them with a paire of Shears, and then wash his mouth with Water and Salte, and that will cure him.

For the Staggers.

You shall perceiue them by beating his head, and hee will be as though he were blinde.

Take Garlicke, Rue, and Bay-salt, and beate them geosely, and put Venegar into it, and put it into the Horses eares, and then wet Wooll in this Medicine, and stop his eares therewith, and binde them close, and let it be so xxiij. howers, and then pull out his tongue and wash it with Vineger, to make him haue a good stomacke.

First, take a wispe of wet Hay, and burne it vnder his nose, that the smoake may go into his head, then take halfe a handfull of Salandine, and as much hearbe Grace, three or foure cloues of Garlicke, and a little Bay-salt, and stampe them together, and put thereto foure or fve

C

spooner.

Approued Remedies

spoonfull of Vinegar of Uerges : then cramme it into the Horses eares, and tie the eares close that no ayre may come in : let it continue in his eares a day and a night, and then let him blood.

Oz els, take Rue ann Salandine of each a like, & white Salt, and stampe them together, and put it into his eares, and then bind them vp for two howers.

An other for the same,

Take Oyle of bitter Almondes, i Oz. di. of Oxe Gall, two Drammes of blacke Ellabar stamped, ob. of Graines of Casterum, of Vinegar, and of Carnice, v. Drammes : seeth them altogether till the Vinegar be consumed : then straine them, and put it into his eares.

For the paine in the Head or stifeling.

Keepe his head warme, and let him drinke warme water mingled with Wheate meale, or Fennel-seedes, and blow it into his Noſe with a quill, and some powder of Ellabar or Rieking powder, mixed together with some Pepper : then take a pint of Palmesley, the whites and yolkes of, v. new layde Egges, one head of Garlick beaten fine, small Pepper, Sinamon and Nutmegs beaten fine, and a quantitie of sweet Butter: mingle them altogether, and giue it him to drinke three dayes after : but let him not drinke in foure houres after.

For the Wanders.

Take halfe a bushell of Barley and set it on the fire in a panne, and put thereto running water, and euer as the water wasteth put in more, so that the Barley be covered with water. and let it seeth till the Barley be broken: then take a little Poake or Sacke and put the Barley therein,
and

and lay the same on the Horse ridge on length from the
 Mane to the Cropper all hot, and let it lie till it be cold,
 and there let it lie a night and a day, and put the Horse into
 a greene Parde some xxiii. howres, and thert he will wal-
 low: and then take him in, and he will be whole,

For the Yellowes.

You shall know them by the white of his eye, which
 wilbe yellow: or els by his tongue, which will haue
 yellow baines: or els put by his vpper lippe, and you shal
 see the beynes yellow.

Take two races of Turmeracke, and ob. of Saffron,
 and put it in a pint of strong Beere or Ale, and warme it
 bloud warme, and giue it him.

An other for the same.

Take Turmeracke a clove et di, et di. a dosen chinnes
 of Saffron, one or two Clones, and sixe spoonefulls of
 Vinegar or Aerges: and put in each eare thre spoone-
 full, and stoppe his eares with blacke Wooll: and then
 tye them fast. vii. or viii. dayes.

An other for the same.

Take long Pepper, Graynes, Turmeracke, and Lics.
 ris beaten into powder: put them into strong Beere,
 and giue it him to drinke.

For the Paines or Crotches which commeth by
 heate and the sodaine cold vpon it.

The Paynes appeare aboue the Hoofe, you shall
 know them by the haire standing right vp: you
 must take vp the Shackle Naynes on both sides,
 then take the soft row of a redde hearing, & Mustard,

and blacke Sope, and boyle these in Vinegar, and make a Plaster and lay it to the soze.

There is no Clayne betweene the Pastozme and the Hoofe, but the Shanke Clayne : and the vaine which serueth for the Crotchets, must be taken vp on the inside and the outside.

Wash it first with warme Urine, then dype it with a cloth, and clip away all the haire on the Scabbie place, then rubbe and chafe it all ouer, and make fast his feete, and rubbe the place greened with Butter and Tarre boyling together, vpon a clothe tyed on a Sticks ende, and bathe it well therewith : vse this once or twice a day, till it bee hole.

Butter and Honey molten together, is good to annoynt an Horse for Paynes or Crotchets.

Take a pound of Hogges greace, i. v. weygh of Verdel greace, ii. oz. of Mustard, di. a pound of Oyle de Bay, a quarter of a pound of Maruell, di. a pound of Honey, di. a pound of English Mace, i. oz. of Arsenicke, ii. oz. of red Lead, halfe a pint of Vineger : boyle all these together, and make an ointment of it: clip the Horse legge bare, and lay this Medicine to it very hot.

For goured Legges, or Scratches.

Take vp the Arynes beneath the knee, and let him blood as much as you thinke good, then knie the Veine about and beneath, and annoynt the Legges with this Oyle following.

Take Franckensence, and Rosen, & fresh greace, & boile them together, and straine it, and keepe it to your vse.

A Drinke to rayse a Horse, or for a
Horse that is sicke.

TTake two penny worth of Pepper, two penny worth of Saffron, two penny worth of Annis seedes, two penny worth of Turmeracke, a penny worth of long Pepper, two penny worth of Treacle, a penny worth of Licoris, a good quantitie of Penny-royall and Archangell: giue him these with the Polkes of Egges in Milke to drinke: And for Beate Cattle giue these in drinke.

For a Surfet Horse.

TTake a quart of Beere or Ale, and ii. s. worth of Sallet Oyle, and as much Dragon water, a penny worth of Treacle: make them warme vpon the coales, and put into it a penny worth of Horse Spices, and giue it him.

For a Hide-bound Horse.

This commeth by ouer much working, ill dyeting, and naughtie dyessing. Take Fenne-creeke, Turmeracke, Annis-seedes, Bayes, Lycoris, and Commine: beate all these together, and giue him one spoonefull of all these in Ale or Beere blood warme. This is also good for the Cough: This will also keepe him from it, if you vse to giue it him befoze the disease commeth.

An other for the same.

Take away some blood with a Fleame, then giue him some warme Washes morning and euening, and giue him Halc sodden in water together, or Bianne and Water, or some Wheate sodden with Barley in Water, and it will helpe him.

For the Hoofe-bound.

You shall rayse the Hoofe aboue, from the toppe to the soole in foure or fise places, so that the Water

may come out : some doe rayle it round with a sharpe Knife, and along downward, and then rubbe it well with Salt once or twice,

For a loose Hoofe.

Take Tarre three spoonefull, of Rosen a quarter of a pound, of Tanley, of Rue, of redde Vintea, of Soothernwood, of each halfe a handfull : beate all them together in a Morter, and put thereto halfe a pounce of Butter, i. v. worth of Clergins Waxe : then fry them all together, and bind it to the Hoofe for vii. dayes, and it will cure him.

For a brittle Hoofe.

If your Horse hath a brittle Hoofe, it is because he is too hotte or to dry, and doth stand dry in the Stable vnstopped.

Take Oxe dung and temper it with Vineger, and binde it warme all ouer vnto the Feete, and vnder the soles of the Feete : on the next day vse him so againe, so vse him for a weeke together, and it will helpe him : vse to stoppe his Feete with Oxe or Cow dung, or his owne, and let him stand so a month.

Or, take the fatte of Bacon and temper it with Turpentine, and annoynt his Feete therewith, which is very good.

A Medicine for the Cough, or mourning
in the Chine.

Keepe your Horse meatelesse ouer night, then take a pint and a halfe of Milke, three heades of Garlike pilled and stamped, boyle them to the halfe : giue it to your Horse, and some at his nose, then runne him a quarter of a myle, then rest him : and after that, runne him three times.

times more, euery time resting him : then put him into the Stable and keepe him very warme, and giue him no Water till after noone, then giue him a good Dresse : and saule him with Dresses thre dayes, and giue him no Water but alwayes warme for thre dayes.

An other for the same.

Take Harehound, Licoris, and Anniseedes in powder, make Balles thereof with freche Butter, and giue it your Horse.

An other for the same.

Take Wheate Flower, Anniseedes, Licoris, beeing Ramped in a Morter, v. or vi. cloues of Garlicke being brused : mixe all these together and make a Past of them, and roule them in Balles as bigge as a Walnut : then pull out his Tongue and cast them Balles downe his throate thre or foure of them at a time: and giue him two new layde Egges after them Shells and all,

For the Glaunders.

Take Swines greace cleane clarified, and as much Oyle of Bay as a Walnut : giue it him to drinke with faire Water luke warme.

An other for the same.

Take of Clacompana, Anniseedes, and Licoris, of each i. v. worth, boyle them in thre pintes of strong Ale or Beere vnto two pintes or lesse : then put into it a quarter of a pint of Sallet Oyle, and giue it him to drinke blood warme.

Then take Enforbiū in a quill, and blow it vp into his nose, and within thre dayes after take Mustard, Vineger,

and Butter, and boyle them together: put thereto halfe an ounce of Pepper, and giue it him to drinke. Use the one Medicine one weeke, and the other another, and ride or worke him easily.

An other for the same.

Take a quantitie of Annis-seeds, Licoris, and Elacompana rootes, long Pepper and Garlick of each a like, with three Egges and some Butter, a quantitie of Palseley, and some good Ale, mixt together: and make it warme, and so giue it him, and keepe him warme.

An other for the same.

Sceeth a handfull of pilled Garlick in Milke, and put a peece of Butter thereto and some Ale, and stirre them all together, and giue it him fasting, and ride him softly a while after, and then set him vp: but keepe him warme nine dayes after.

For the Strangles.

Cut him betweene the Jawes, and take out the Kirnells, and wash the place every day with Beere and Butter, and stoppe it vp as long as you can, and giue him hew Milke and Garlick to drinke, & the iuce of the leaues of Birch withall, or in Winter the bark of Birch: also smother him with the Gumme of Masticke or Franckensence.

For the Farley.

Take blacke Sops, Arsenicke, unslaked Lime, Verdegreace, and red Lead: worke these all together, and lay them to the soze.

An other for the same.

Take iii. oz. of Quicksiluer and put it into a Bladder, with two spoonesfull of the iuce of Oranges, or Lemmons,

mons, and shake them together to coole the Quicksilver: then take halfe a pound of fresh Hogges greace, & of Alergis an ounce: put al these in a Greene dish, & worke them well together: then annoynt the knots with this Oyntment till they rot, then let them out with a Sharpe knife, and annoynt them still: and put into his eares the iuce of Rag-weed, and they will dye by. *Probatum.*

A Drinke for the Farsey.

LET him blood in the necke on both sides foure fingers from the Head, and giue him this Drinke.

Take a gallon of faire water, and put therein a good handfull of Rue and a sponesfull of Hempsced, and bruse them in a Morter altogether, and seeth it till the halfe be consumed: and when it is cold, giue it him to drinke.

For the Farsey.

TAKE blacke Sope, Mustarde made of Sharpe Wine or Vinegar, and red Lead, mixe all these together, and annoynt the Aeyne all along, rub it ouer with a hot Iron made of purpose, but very thicke: rubbe the Medecine much in with the Iron being red hot.

To destroy the Farsey.

TAKE iuce of Hemlocke a good quantitie, and bray them together, and put it into the eares, & prycke the Knots and put in Salt, and giue him drinke with sweete Cloze, Fennell, and Treacle.

For a Horse foote that is wrouged
in the Foore-locke.

SEEth a quart of Bryne till the foame rise, then straine it, and put thereto a handfull of Tansey, as much of Pallowes, a sawcerfull of Hony, and a quarter of a pound

D,

of

of Sheepes Tallow : stirre all these on the fire till the Pearbes are well sodden, and all hot, lay it to the Joynt, and then lay a cloth ouer it, and it will be whole in three dayes.

For a Wrench in the Foot-locke.

Take Pomplion, Maruile, and blacke Sope, of each a like, and heate them hot on the fire, and then annoynt him therewith.

For a Horse that is Stiffed or Hipped.

Take a pound of Bole-armoniacke, one quart of red Wine-vineger, vi. Egges beaten Shelles and all, two penny worth of English Hony, as much Venus Turpentine, one quart of flower, one good handfull of Baysale, and put all these in a pot, and keepe it close one night, and the next day apply some of it to the hurt, dressing it once a day for .ij. dayes together.

For a Horse that is Foundered.

Take Uerdgreace. Turpentine, and Sallet Oyle, two or three sponesfull of Hogges greace, and Bees Waxe i. oz. boyle all together, and so dip flaxe or Tow in it, and stufte his feete therewith, and let him blood in the Toes, and he shall be whole.

An other for the same.

Plucke off his Shoes, and pare hollow his feete nigh to the quicke, then race him with a crooked Launce from the Heele to the Too in two or three places on both sides of the Hoofe, and let him bleede well : then clay two or three hard Egges to it as hot as he may suffer it : and as they coole, lay on smoze : and then lay hot Hozle dounge upon them and about his feete, and he wil soone recouer, if you giue him rest.

For

For a Horse that is Foundred in his feete.

Take Tarre, Neates-foote oyle, and the Poulkes of Egges, i. ℥. worth of Herbegreace, and some Wheate Branne, and boyle these togsather, and binde them vnder his foote very hot.

If he be Foundred in his body.

Take ob. of Garlick, ii. ℥. worth of the powder of Pepper, ii. ℥. worth of the powder of Ginger, ii. ℥. worth of Oraynes hused, and put it into a pottle of stale Ale the best you can get, and giue it him to drinke, and litter him to the belly, and lay cloathes on him as many as he can beare: and let him blood on the sides.

For Blindnesse.

Take two dry Cyle-stones and rubbe them together, and blow the powder of it with a quill into his eyes three or foure times.

For the Webbe in the Eye.

Take the leane of a Gammon of Bacon and dry it, and thereof make powder, and vse the powder, and it will cure it.

For the Pearle in the Eye.

Take the iuce of ground Tule, the iuce of Salandine, and womans Milke, and put it into the eyes, and it will also cure him.

For the Haw in the Eye.

Make a Playster of the iuce of Ground-Iule, and of Iule Berries stamped in a Morter, beaten with Wine or Water: and playster wise lay it to the Eye or Eyes euening and morning.

An other for the Haw in the Eye.

Some take a Needle and a double Chreed, and thrust the Needle through the Filme of the Eye wherein the Crush groweth, which pull out, laying it on your fingers ende, and holding the Needle and the Chreed straigh, and so cut away all the hard matter a penny breadth. But beware you cut not away the Fatte, which is the wash of the eye: neither cut the Filme wherein the Eye groweth, but cut betwene the Filme and the Crush, and then Squirt in Beere.

For a Canker in the Eye.

Take Roch Allum and greene Copris, of each a like, boyle them in thre pintes of running water vntill the one halfe be consumed, then take it from the fire, and once a day wash his eyes therewith being made luke warme.

For a Stroke in the Eye.

Lay thereto the iuce of Smallage, Fennell, and the white of an Egge.

For a Windgall.

Take and cut the Skin, then take a spoonefull of Oyle de Bay, one spoonefull of Turpentine, i. v. worth of Verdigreace, the white of an Egge, and a quarter of an ounce of red Lead: boyle them together, and it will make a Salue, lay the same to the place where you did cut him.
Probatum.

An other for the same.

First clippe off the haire bare, then cut it the length of a Beane and let it out: but beware of the Sinnettes that you cut not them: then haue ready molten Rosen, Sheepes Tallow, and Brimstone, boyled together: then lay on this Medicine, but beware it be not too hot.

For the Spauen,

Take Mustard seede, and Oyle de Bay, & Cow dung, the rootes of Gallowses, a quantitie of Turpentine, di.oz. of Bole-armoniacke, beate them to powder, and worke them together, and binde them hot to the Spauen.

For the bloud Spauen, and bone Spauen.

Take by the Clayne aboue and beneath the Joynt, and let it bleede well, then knit by the Claynes, and annoynt them with Butter till they be whole.

For the Bone Spauen, picke it with a sharpe poynted knife, then take a peece of Candle, & lay a peece of browne Paper vpon it, and with a hot Iron melt the Tallow, and after noynt it with Butter.

For Inflammation of the Coddles.

Boyle Groundsell in Wine and Vineger, and so bathe him therewith, and vse to ride him into the Water.

An other for the same.

Take a quart of good Ale woort, and set it on the fire, with the crummes of browne Bread strongly leaue-
ned,

ned, and a handfull of Commine (or more) in powder: make a Playster of all these and Beane flower, and apply it to the grieve as hot as may be suffered.

An other for the same.

TAke new Cow dung and seeth it in Milke, then make a Playster and lay it to the grieve as hot upon the swelling as may be.

For swelling of the Coddles.

LEt him assaile a Mare, and giue him no Prouender, and let him blood about the great Vaine betweene the Hipples, and lay thereto hard Egges in his owne dung, and make a Playster of the same, & lay it to the Coddles: and if it helpe him not, let him stand in the Water halfe an houre.

For the Strangulion.

TAke Bread, and Bayes of Lozell, and temper them together with May Butter, and giue him thereof thre dapes together, and he shall be whole.

For festering of the sore,

TAke Lime and tough Horse dung, and temper it together with Pepper and the white of an Egge, and lay it to the sore five dapes, and it will cure him.

A Drinke for the Stone.

Take a pint of white Wine, halfe a pint of Burre seebe, and beate them small, it. oz. of Parsley seebe, halfe a handfull of Hyssop, halfe an oz. of blacke Sope : mingle these together, and warme it, and giue it him.

For the Stone Collicke and Fret.

Take vnset Leekes and stampe them small, and Sope, Milke, and Butter, and giue it the Horse, it will make him pisse.

For a Horse that cannot Stale.

Take a Nutmeg, and a handfull of Parsley seebe, beate them in powder, and a handfull of Butter, and beate it in good Ale, and giue it him blood warme, and hee shall Stale at ease.

For the Stone, and to make him pisse.

Take the seebe of Smalage, Parsley, Saxefrage, the rootes of Philudendula, Cherry-stones kirmelles, Grunnell seedes, and Broome seebe, of enery one like much : make them in fine powder, and giue it him in white Wine.

For a Horse that cannot dounge.

Take xi. leaues of Lozell and stampe them in a Morter, and giue him to drinke in strong stale Ale.

For a Horse that pisseth blood.

Take Barley and seeth it in the iuce of Gumfolly, and giue him the Barley to eate, and the iuce to drinke.

Or else, take and let him 'blood, and boyle the blood with the powder of the Pill of Pomegranats, and put in some Wheate: then straine it, and giue it him to drinke three or foure moynings, but let him not tranel.

Take the powder of Licoris and Annis-seeds rould vp in Hony, and giue him three or foure balles of them at a time, pulling out his tongue, and putting it in his throte: It looseth his breath, and setteth his winde at libertie, and purgeth the cold & stiffness, and expelleth the Glaunders.

Byled Licoris, Annis-seeds, Garlicke byled, a little Sallet Oyle and Hony, giuen blond warme in Dilke, cureth very many diseases, and keepeth him from moze.

For a Horse that is broken winded,

Take a Hedgehog and split him, and take out his guts, and dry them by in an Ouen untill you make powder of them, giue it your Horse to drinke in a pint of good ale, a part thereof: then make Balles of Annis-seeds and Licoris rould in Butter, and cast them downe his throte: and wash his Dates in good Ale or Beere, then take Commin, Annis-seeds, Licoris, and Senty, and make powder of them, and strew three spoonfull in his Dates, being moist: vse this same xiiii. dayes.

An other if he be Pursey.

Take Molline or Longwort, and make a powder thereof, and giue it him to drinke with Water, and it will heale him.

Or, you may take the powder of Gensian at the Apothecaries, and that will heale him also.

For

For a Horse pricked with a Naile.

Take out the Hoofe till you come to the bottome of
Naine, then take Turpentine i. oz. Tarre i. oz.
Pitch i. oz. Beefe-suet i. oz. and one head of Gar-
licke: boyle them all together, and lay them to it so
hot as may be suffered: And if it chauce to breake out a-
boue the Hoofe, then take the said Medicine and annoynt
it therewith.

To heale a Mangie Horse.

Let him blood on both sides his Necke, then cut the
Skinne in the middell of the Fore-head two Angers
broad, then rayse the skinne on both sides, and put in si-
ces of Angellica roote, or Clacompana: leaue them till
it rot, then thrust out the matter, but leaue the rootes,
they will come out as it healeth, annoynting the mangie
places with the powder of Brimstone and Verdigreace,
mixed with Oyle Oliue.

An other for the same.

Take Lampe oyle, fine powder of Brimstone, of blacke
Sope, Tarre, Barrow-hogges greace, & the Sutte of
a Chimnie, of each a like, & then mixe them all together,
and annoynt the place therewith so hot as may be suffered,
and it will helpe him.

For the Mangie of a Dogge.

Take Vinegar, Gunpowder, blacke Sope, Brim-
stone burnt Allum, and Verdigreace: boyle all toge-
ther with Pony, and rub ouer the mangie place.

E.

For

For the String-halt.

TAke vp the M. Wayne about the Knee, and vnderneath the same Wayne lyeth a String, cut it away : then cut him below in the Nostrilles, and take away two Strings, and then annoyne him with Butter and Salt.

For the Mares Euill.

TAke Milke, Datemeale, Gallowes, Moormeewood, Pozehound, and Smalage, wyng these together with your handes, and boyle them together till they be soft, and lay it to the grieke, which will bring it to a head : then you must launce it : then take red Lead, burnt Allum, and Rosin, beate these to powder, and cast vpon it.

To take away Bones, Knobbes,
or Ring-bones.

TAke a pound of strong Lye and Sope, a quarter of Vitreall Romane, i. oz. of Salarmoniacke, as much of Roch Allum, and boyle them together till they are thicke, and so vse it for an Oynment.

Gipsiacum the strongest kinde, lay it on with Cotten three or foure times, will take it away. This is good also for a Splint : and though it be a Chisula in the Crowne, it will linke it.

For the Powle Euill, which commeth of
a bruse behind the eares.

TAke a hotte Iron, but first take vp the hayze all the whole compasse, then seare it with the Iron, and then take red Lead and blacke Sope, and mingle them
with

For Diseased Horses.

25

With Water, and make it thicke, and annoynt him withal,
till it be whole.

To make a Water for the same.

Take a quart of Water, halfe a pound of Roch Allum,
iij. d. worth of Mercurie, a quarter of a pound of Ver-
digreace: and when you see the Horse rub his head, wash
him with this Water.

An other for the same.

Lay a Playster of Hogges greace on, to ripe the place,
and when it is ripe, launce it, and thrust thorow a hote
Iron, if it be very deepe, and keepe it open with Tentec
made of a Sponge, and dippe it in Hogges greace: vse
this for foure daies, then take Turpentine, and the yolkes
of Egges, and Saffron, and mingle them well together,
and dippe your Tentec of Sponge therein, and bee sure
they goe to the bottome, and playster it with Hogs greace:
and this will cure him.

For the Camer.

You must take out his Tongue, and let him blood in
five or six places, and likewise on his upper Lippe,
that he may bleed well, and all berubbe his Tongue
and Lippes with Salte: then the next day wash his tongue
and lippes with Vineger, and rubbe it againe with Salte,
and giue him warme drinke and new Beere a day or two.

For the Coult Euill,

Take the iuce of Hemlocke, and wash his Pearde and
Coudes therewith.

An other for the same,

TAke Beane flower, Vineger, and Solarmontacke, and
woꝛke these together, and lay it to the Coddex.

An other for the same,

You may wash his Shēd with warme Vineger, and
draw soozth his Harde and wash it also: then ride him
into the water, let him swimme, and there cosse and curne
him: vse this two or thzee weekes.

For the Cloying.

If he halt, pull off his Shoo and open the place pycked
with a Knife, and powze in Turpentine, Waxe, and
Sheepes suet, being molten together: then close it vp,
and set on the Shoo againe: let him rest, and come in no
wet ground.

Some do vse to burne the hole with a hot Iron, when
they haue puld out the Nayle: and some do powze in boy-
led Butter in the hole once a day, and it hath cured it.

An other for the same.

TAke a handfull of Nettles, of blacke Sope, of Vine-
ger, of each a spoonesfull, & thzee times so much Boares
greace or Bacon greace, then stampe them well together,
and stoppe the soze therewith, and it will not rot any fur-
ther, but heale, although you labour him.

Some do stoppe vp the hole when they draw soozth the
Nayle, with Tallow and Hoose dung, and then set on
the Shoo.

For

For the Cordes.

THe cure is, to slit it, and with a Buckes Hoine to take it vp, and tie it in two places, and cut it away.

An other for the same,

TAke Mustarde, and Aqua-vice and Sallet Oyle, and boyle them on the Coales, and make a Playster and binde it hot to the place. It is good also for any Straine, so it be new done.

An other for the same.

TAke the grounds of Ale, and being made warme, bathe his Legs therewith, and wispe them with a Hay rope.

An other for a Spraine.

TAke Smallage, and an hearbe called Oxepe, and some Sheepes suet: chop them all together, and boyle it in mens Urine, and bath the place therewith, and wet a Hay band in it and rowle by the Legge therewith. *Probatum.*

For the Curbes.

FRet his Legges with thy hand, and then take red Colwort leaues, and Burrage, and hysp them together and lay it thereto fve dayes.

Against stiffness of Sinniewes.

SEeth a pound of blacke Sope in a quart of Strong Ale till it looke like Tarre, and annoynt the Sinniewes therewith, and it will supple them, and bring them to the right course. It is good also for a Hane, if he be stiffe in the Ioyntes.

For Enterfeering.

HE may be much holpen by shooing with a skilfull Smith: But if the skinne be off, Take Hay Butter,

Approued Remedies

with a quantitie of yellow Rosen, as much Maruell, then fry them together in a Panne, and let it stand till it bee cold, and put it in a Potte, and put to it a little new Cow Dunge, and make playsters thereof, & binde it to the place. This will heale also the plicke of a Naylor.

For the Nauell galled.

TAke Soot of a Chimney and Peest mixed together, and playster it on: but shift it once a day.

An other for the same,

TAke Nettle seedes, and mixe them with Sallet Oyle, and annoynt the soze of Chasing therewith.

Some do vse to wash him with warme water, and then annoynt the place with Greace and Salt mixed together.

An other for the same,

TAke beerbe Bittony, Brimstone in powder, of Eliborie Pitch, and olde Greace, and stampe them together: and when you haue washed him with Chamber Lie, annoynt him with this Medicine.

A Water for a gawled Backe,
or any foule sore.

TAke a pottle of Carnicee. iii. d. worah of greene Coppris, and boyle it to the one halfe oz more, and wash the Soze with that, and then fill the Soze with red Lead, and let it not be dyssed of thre dayes, and then dysses him againe, as you shall see cause.

For

For a greene wound,

TAke white wine, and make it warme, and wash the Wound therewith, then take Turpentine, Mell Rolap, and a little Waxe, and melt them together, being stirred continually till they are well mixed, and then use it. If it be a Cutte, take Cow and dippe it therein, and fill the wound with it: If it be a hole, make Centes for the place.

An other for the same,

TAke Hogges greace, and Venus Turpentine, and melt them together: and if it be a Cutte, take Cow and dip therein, and fill the Wound therewith: If it be a hole, make Centes, and dyesse it therewith.

For a hot Impostume in any outward part.

SCampe Liverwort, and mixe it with the groundes of Ale, Gallowes, and Hogges greace, being made hot, and layde thereto.

An other for the same.

BRuse Lettis seedes, and Poppie seedes, and mixe them with Oyle of red Roses, and playster wise lay it to the soze.

For a colde Impostume.

TAK the hearbe Balme stamped and mixed with Hogges greace, and playster wise lay it to it,

An

Approued Remedies

An other for the same.

Sceeth white Wines in Wine of Ale, with Oyle of Butter, and lay it hot to the place.

To ripe any Impostume.

Sceeth Wallows rootes and Lillie rootes, and then bruse them, and put thereto Hogges greace, and Linsede Meale: and playsterwise lay it to it.

For the Rume.

Let him blood in the Waine under the Tayle, and rub his Gummes with Sage tyed to a Sticks ende, and giue him for a while the tender croppes of blacke Byers in his Pouender.

For loose Teeth.

Pricke the Gummes with a Knife, and then rubbe them with Hony, Sage, and Salt, beaten together. The Soprell Hoyle is most subiect to this Diseale.

For the Feuer.

Let him blood in the Thigh in the middle Waine foure fingers vnder his Tuell: or els, take the Wapne in the Necke, and giue him a drinke.

An other for the same.

Take Water & Hony, the iuce of Purselaine, Gumme, Draganet, and Frankensence in powder, with a few of Dammaske Roses, and mixe them all together, and giue it him to drinke.

An

An other for the same.

TAKE of Germander iiii. oz. of Gumdraganet, and of
dyed Roles of each i. oz. beate them all into fine pow-
der and put them in a quart of good Ale, adding thereto
Oyle Olue iiii. oz. of Hony as much, and giue the Horse
like warme to drinke,

If he draweth his breath short, and sicbeth withall, Let
him blood in the Necke: and then take a pint of Wine,
with di. oz. of Sallet Oyle, and mixe therewith Franken-
sence: and with the iiii. part of the iuce of Bugwort, giue
it him him to drinke.

For the Frounce.

YOU must cut or burne them out, then wash them with
Beere & Salt, or Ale and Salt, and so they goe away.

For the Gigges, or Flappes,

Gigges or Flappes, or Pimples or Teates in the
inside of the mouth: you must cure them as you cure
the Camery or Frounce, either will helpe him.

It is good to pull out the Horses Tong very often,
for feare of breeding any Blisters or Blaynes vnder his
Tongue, or for feare of Hay leade, which will breed to
some of these diseases.

For the Gorge, or to bring haire againe.

SCare him with a hot Iron a handfull aboue the Kne,
then rope him round about with a lott Rope of Hay,
F. and

and powye on colde Water, and let it so remaine a night and a day.

To bring Hayre againe.

Take the Doung of Goates, some Hony, and Allam, the blood of a Hogge: mixe them all together, and heate them till they are ready to boyle: and being hot, rubbe the bare place therewith.

Or take Nettle seede, Hony, and Salt, and bruse them together, and then rubbe the place.

An other for the same,

Take the Sutte of a Catdow, mixed with Hony and Oyle, and annoynt the place therewith.

Take greene Walnut shelles and burne them to powder, and mixe them with Hony, Oyle and Wine, and annoynt therewith.

For Graueling.

Thou shalt take off his Shoes, and pare out all the Grauell cleane (for if you leaue any Grauell, it will breed to a sozenesse called a Quitter boone) then must you stufte him with Turpentine and Hogges greace melted toger, and dippe in Tow or flaxe: then clappe on the Shoe, and keepe it stopped, and shift it euery day till it bee whole, and let him come to no wet: If you stop it not by well, it will rise about the Hoofe, then you shall haue more busynesse, and put your Hoyle to more paine.

For

For the Malt Long.

It is an ill sozenesse aboute the Hoofe, which will breed out in knobbes and bunches, with a watry humoꝝ.

If it be in Summer, take blacke Snaples & Burre rootes, and beate them together, and lay it thereto.

If it be in Winter, take the scraping of the bottome of the shaggess of the Burre rootes, and put to it a handfull of the inner barke of Elder, and beate them together, and playsterwise lay it to.

An other for the same.

TAke Garlick, Pepper, and Hony, and stampe them together, and annoynt his Tongue therewith, and there of lay some to his Pastozns.

To stoppe a Laske of a Horse.

TAke Beane flower and Bolearmoniacke, of each a quart, mingle these together in a quart of red Wine, and giue it him luke warme: let him rest and bee kept warme: let him drinke no colde water, but luke warme, and put in Beane flower, and let him drinke but once a day, & not ouer much, for the space of thre or foure daies,

An other for the same.

TAke ob. of Allum, beaten into fine powder, and Bolearmoniacke beaten small, and a quart of good Milke: mingle them together till the Milke be all of a curd, and giue it him to drinke, and dyet him as aforesayd: and this will stoppe him. *Probatum.*

For the Vines.

TAke Egremonic, Hony, and Violet leaues, stampe them together, and sic the Sinnew underneath the care, and lay a Playster thereto thre dayes

For a Canker in the Mouth or Nose.

If you see the Canker bee of great heate and burning in the Soze with exceeding paine, you shall take the iuce of Purselaine, Lettice, and Sozrell, or Night Shade, and wash the soze with a fine Clout, or sponit it on with a Squirt: and this will kill it,

Another for the same, most singular.

Take Hyssop, Sage, and Rue, of each a good handfull, and seeth them in Urine and Water, to the third part of them: straine them out, and put in it a little white Cappis and Hony, and Aqua-vite, and so wash the place with it: (It is a singular thing to remoue the Polles) which done you shall make a Water to heale it, as thus,

Take Rib-wort, Bittanie, and Daffies, of each a handfull: then seeth them in Wine and Water, and wash the Soze three or foure times a day.

Some say that Chyistall made in powder, is speciall good to kill the Canker.

For any swelling of a Horse.

Take Hemlock and stampe it, and mingle it with sheeps daung and Vineger, and make a Playster and lay it to the swelling.

To heale the wound in the Lampas,

Take a Saluerfull of Hony and xii. Pepper Cornes, and bray them together, and temper them up with Vineger,

For Diseased Horses.

35

Vineger, and boyle them a while, and then lay it on the
Wound thre or foure dayes, and then let him bloode on
the Lampas.

For the Ringbone Mallender.

Take a paring of a Cheese and rost it well, and lay it to
the Mallender as hot as he may suffer it.

Or else, chafe it well till the blood follow, and annoynt
it thereon: chafe it with a hot Iron, so that it holde to the
Mallender: then take x. flowers of Gilleflowers set well,
and Henne mucke, and temper them well together, and
lay it on.

FINIS.



Imprinted at London by W.W.
for Thomas Pauier.

1604.